



Premium Tech Pte. Ltd.

UEN: 198300105W
 E: PremT@premiumtech.sg
 T: +65 63838511 / +65 9224 3999



Pharma Applications



Dry Recovery



Cleanroom Compatible



ULPA Filter Available
 ULPA - Optional



HEPA Filter Available
 HEPA - Optional



Continuous Duty

Specifications for CD-1501 CR (STD) SERIES

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
CD-1501 CR (STD) - P/C & S/S	110984B1	230 V	50 Hz	Single	1750 W	1.7 kW	9 amps.	238 m ³ /h	2820+ mm H ₂ O	Not Included	28.4 L	15 L
	Dimensions: H109 cm x W50 cm x L34 cm Weight: 51.5 kg. Sound Level: 64 dB(A)											
CD-1501 CR (STD) - P/C & S/S	110984B3	400 V	50 Hz	Three	1750 W	1.7 kW	3 amps.	238 m ³ /h	2820+ mm H ₂ O	Not Included	28.4 L	15 L
	Dimensions: H109 cm x W50 cm x L34 cm Weight: 51.5 kg. Sound Level: 64 dB(A)											
CD-1501 CR (STD) - STAINLESS STEEL	110986B1	230 V	50 Hz	Single	1750 W	1.7 kW	9 amps.	238 m ³ /h	2820+ mm H ₂ O	Not Included	28.4 L	15 L
	Dimensions: H109 cm x W50 cm x L34 cm Weight: 51.5 kg. Sound Level: 64 dB(A)											
CD-1501 CR (STD) - STAINLESS STEEL	110986B3	400 V	50 Hz	Three	1750 W	1.7 kW	3 amps.	238 m ³ /h	2820+ mm H ₂ O	Not Included	28.4 L	15 L
	Dimensions: H109 cm x W50 cm x L34 cm Weight: 51.5 kg. Sound Level: 64 dB(A)											

Please note that specifications are subject to change without notice

Technical Sheet for CD-1501 CR (STD) SERIES

HEPA FILTER AND ACCESSORIES - INTERNAL - UPSTREAM - Optional

Part #	Description
212304B	HEPA FILTER (H14)

ULPA FILTER AND ACCESSORIES - EXHAUST - DOWNSTREAM - Optional

Part #	Description
211027	ULPA FILTER (U15)
215158	DOWNSTREAM HOUSING ASSEMBLY (STAINLESS STEEL AISI 304)W/ULPA FILTER #211027 2"(50mm)x24"(61cm)NIPPLE
215160	DOWNSTREAM HOUSING ASSEMBLY (POWDER COATED)W/ULPA FILTER #211027 2"(50mm)x24"(61cm)NIPPLE

EXHAUST SILENCER - Included

Part #	Description
215360	MUFFLER, PVC, WHITE

EXHAUST FILTRATION - Optional

Part #	Description
--------	-------------

212496A	EXTERNAL HEPA HOUSING ASSEMBLY WITH GASKET, Ø2"(50mm)CAMLOCK VENTING EXHAUST -SS ELECTROPOLISHED
212497	ADAPTOR PLATE FOR EXTERNAL HEPA HOUSING 212496 -STAINLESS STEEL
213035	ADAPTOR PLATE WITH Ø2"(50mm) CAMLOCK VENTING EXHAUST -STAINLESS STEEL

FILTERS AND ACCESSORIES - Included

Part #	Description
213390AT	MAIN FILTER ASSEMBLY WITH LACES (NO CAGE)(PRE-FILTER NO LONGER REQUIRED)
213386A	FILTER CAGE, STAINLESS STEEL, ELECTROPOLISHED

Ø1.25" (Ø32mm) TOOLS AND ACCESSORIES - Optional

Part #	Description
323540	VACUFLEX SUCTION HOSE ASSEMBLY FOR EMI-CWR SS 1.25"(32mm)x10' SD* W/FEMALE CAMLOCK&STRAIGHT HANDLE
323540B	VACUFLEX SUCTION HOSE ASSEMBLY 1.25"x10' SD* w/ 2" (50MM) FEMALE CAMLOCK & STRAIGHT HANDLE S/S
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323311A	COMBI TOOL 1.25"(32mm) x 11"(28cm), STATIC CONDUCTIVE PLASTIC WITH CONDUCTIVE NYLON BRISTLES
323317A	UTILITY FLOOR TOOL, 1.25"(Ø32mm) x 12"(30cm), STATIC CONDUCTIVE PLASTIC w/GREY SQUEEGEE BLADES
323312A	ROUND BRUSH, 1.25"(32mm) x 3"(7.5cm), ESD SAFE PLASTIC, WITH HOLE FOR BUTTON LOCK
323314A	UPHOLSTERY FLAT TOOL, 1.25"(32mm) x 5"(13cm), ESD SAFE PLASTIC
323313A	CREVICE TOOL, 1.25"(32mm) x 9"(23cm), BLACK, ESD SAFE PLASTIC
323316	MICRO TOOL KIT, Ø1.25"(32mm), ESD* SAFE PLASTIC
323321A	ROUND TOOL, WITH RUBBER BLADES, Ø1.25"(32mm), ESD SAFE PLASTIC
211065	GROUND CONTINUITY TESTER

Ø1.5" (Ø38mm) TOOLS AND ACCESSORIES - Optional

Part #	Description
381427	CLEAR URETHANE SUCTION HOSE ASMBLY SD* 1.5"(38mm) x 12.5'(3.8m) w/SS FEMALE CAMLOCK &SS FEMALE SCREW
381427B	CLEAR URETHANE SUCTION HOSE ASMBLY 1.5" x 12.5', w/ 2" SS FEMALE CAMLOCK & 1.5" SS FEMALE SCREW TYPE
381366	DOUBLE BEND WAND ASSEMBLY (2pc), 1.5"(38mm) x 54"(137cm), STAINLESS STEEL w/STAINLESS TOOL COUPLING
381370	FLOOR TOOL ASSEMBLY, AUTOCLAVABLE, 1.5"(38mm) x 14"(36cm), STAINLESS STEEL w/WHITE NITRILE BLADES
381372	CREVICE TOOL Ø1.5"(38mm)x11"(27.9cm) -STAINLESS STEEL

DUAL INTAKE INSTALLATION KIT AND ACCESSORIES - Optional

Part #	Description
501525	INTAKE INSTALLATION KIT 2" (50MM) FOR Y CONNECTOR AND DUST EXTRACTION ARM ASSEMBLIES
501500	Y CONNECTOR ASSEMBLY, 2"(50mm)FEMALE CAMLOCK X (2) 1.5"(38mm)MALE CAMLOCKS, ALUMINUM
501504	WYE CONNECTOR, 2" FEMALE CAMLOCK ALUMINUM x (2) 1.5" HOSE BARB, ASSEMBLY WITH ONE PLUG

DUST EXTRACTION ARM - Optional

Part #	Description
218037	DUST EXTRACTION ARM, DIAM: 3"(75mm) x REACH: 5'(1.5m), STAINLESS STEEL
218038	DUST EXTRACTION ARM, DIAM: 3"(75mm) REACH: 5'(1.5m), WHITE