

Specifications

AS-10 HEPA	110770B	110770C	110770D	110770E
Model Name	AS-10 HEPA	AS-10 HEPA	AS-10 HEPA	AS-10 HEPA
Type (Powerhead)	Electric	Electric	Electric	Electric
Voltage	240 V	240 V	240 V	240 V
Hertz	50 Hz	50 Hz	50 Hz	50 Hz
Phase	Single	Single	Single	Single
Wattage	1032 W	1032 W	1032 W	1032 W
Power	1 kW	1 kW	1 kW	1 kW
Amperage	4.3 amps.	4.3 amps.	4.3 amps.	4.3 amps.
Air Flow	161 m ³ /h	161 m ³ /h	161 m ³ /h	161 m ³ /h
Vacuum Pressure	2440 mm H ₂ O	2440 mm H ₂ O	2440 mm H ₂ O	2440 mm H ₂ O
Sound Level	62 dB(A)	62 dB(A)	62 dB(A)	62 dB(A)
Plug Type	European	UK	Swiss	Chinese
Suction Inlet	38 mm	38 mm	38 mm	38 mm
Cart Type	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)
Filter Cleaning	None	None	None	None
Dry Recovery - Tank	15.1 L	15.1 L	15.1 L	15.1 L
Dry Recovery - Disposable Filter Bag	9.5 L	9.5 L	9.5 L	9.5 L
Length	41 cm	41 cm	41 cm	41 cm
Width	41 cm	41 cm	41 cm	41 cm
Weight (Vacuum Only)	9.5 kg.	9.5 kg.	9.5 kg.	9.5 kg.
Height	58 cm	58 cm	58 cm	58 cm
Cord Length	10 m	10 m	10 m	10 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



HEPA Filter - Included



AS-10 Tools and Accessories (Dry only) - Included



Beater Bar - Optional

European Headquarters

Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



HEPA -
Included



High Efficiency



Dry Recovery



Accessories
Included



Low Noise

Specifications for AS-10 HEPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
AS-10 HEPA	110770B	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	European	15.1 L	9.5 L
	Dimensions: H58 cm x W41 cm x L41 cm Weight: 9.5 kg. Sound Level: 62 dB(A)											
AS-10 HEPA	110770C	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	UK	15.1 L	9.5 L
	Dimensions: H58 cm x W41 cm x L41 cm Weight: 9.5 kg. Sound Level: 62 dB(A)											
AS-10 HEPA	110770D	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	Swiss	15.1 L	9.5 L
	Dimensions: H58 cm x W41 cm x L41 cm Weight: 9.5 kg. Sound Level: 62 dB(A)											
AS-10 HEPA	110770E	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	Chinese	15.1 L	9.5 L
	Dimensions: H58 cm x W41 cm x L41 cm Weight: 9.5 kg. Sound Level: 62 dB(A)											

Please note that specifications are subject to change without notice

Technical Sheet for AS-10 HEPA

HEPA FILTER AND ACCESSORIES - Included

Part #	Description
212303	HEPA FILTER (H14)

FILTERS AND ACCESSORIES - Included

Part #	Description
212502	MAIN FILTER ASSEMBLY WITH BLACK PLASTIC RING FOR MODEL CR-1 AND AS-10

DISPOSABLE FILTER BAGS - Included

Part #	Description
212500	SYNTHETIC RECOVERY BAG(PACKAGE OF 5)

POLY LINER RECOVERY BAGS AND ACCESSORIES - Included

Part #	Description
212371M	24"(61cm)x24"(61cm)-4 MIL LOW DENSITY FLAT POLY BAGS

TOOLS AND ACCESSORIES - Included

Part #	Description
--------	-------------

323501	SUCTION HOSE ASSEMBLY 8'(2.44m) FOR AS-10
323505	EXTENSION WANDS FOR AS-10 (SET OF 2) Ø36mm
323511	CREVICE TOOL 8"(20.3cm) FOR AS-10 1.42"(36mm)
323513	UPHOLSTERY TOOL 5"(12.7cm) FOR AS-10 1.42"(36mm)
323515	DUSTING BRUSH 3"(76mm) FOR AS-10 1.42"(36mm)
323507	FLOOR TOOL 14"(35.6cm) FOR AS-10 36mm(1.42")

AVAILABLE UPGRADES - Optional

Part #	Description
218248-UPGRADE	UPGRADE TO WHEEL BASE ASSEMBLY (2+2) WITH BUILT-IN TOOL STORAGE TRAY, GREY