

Specifications

ASL-10 HEPA MR	111856B	111856C	111856D	111856E
Model Name	ASL-10 HEPA MR	ASL-10 HEPA MR	ASL-10 HEPA MR	ASL-10 HEPA MR
Type (Powerhead)	Electric	Electric	Electric	Electric
Voltage	240 V	240 V	240 V	240 V
Hertz	50 Hz	50 Hz	50 Hz	50 Hz
Phase	Single	Single	Single	Single
Wattage	1032 W	1032 W	1032 W	1032 W
Power	1 kW	1 kW	1 kW	1 kW
Amperage	4.3 amps.	4.3 amps.	4.3 amps.	4.3 amps.
Air Flow	161 m ³ /h	161 m ³ /h	161 m ³ /h	161 m ³ /h
Vacuum Pressure	2440 mm H ₂ O	2440 mm H ₂ O	2440 mm H ₂ O	2440 mm H ₂ O
Sound Level	62 dB(A)	62 dB(A)	62 dB(A)	62 dB(A)
Plug Type	European	UK	Swiss	Chinese
Suction Inlet	38 mm	38 mm	38 mm	38 mm
Cart Type	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)
Filter Cleaning	None	None	None	None
Dry Recovery - Tank	9.8 L	9.8 L	9.8 L	9.8 L
Dry Recovery - Disposable Filter Bag	9.5 L	9.5 L	9.5 L	9.5 L
Wet Recovery Capacity	9.8 L	9.8 L	9.8 L	9.8 L
Length	41 cm	41 cm	41 cm	41 cm
Width	41 cm	41 cm </td <td>41 cm</td> <td>41 cm</td>	41 cm	41 cm
Weight (Vacuum Only)	11.3 kg.	11.3 kg.	11.3 kg.	11.3 kg.
Height	71 cm	71 cm	71 cm	71 cm
Cord Length	10 m	10 m	10 m	10 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



Beater Bar - Optional



HEPA Filter - Included



AS-10 Tools and Accessories (Wet & Dry) - Included

European Headquarters

Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



HEPA -
Included



High Efficiency



Wet and Dry
Recovery



Accessories
Included



Low Noise

Specifications for ASL-10 HEPA MR

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
ASL-10 HEPA MR	111856B	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	European	9.8 L	9.5 L
	Dimensions: H71 cm x W41 cm x L41 cm Weight: 11.3 kg. Sound Level: 62 dB(A)											
ASL-10 HEPA MR	111856C	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	UK	9.8 L	9.5 L
	Dimensions: H71 cm x W41 cm x L41 cm Weight: 11.3 kg. Sound Level: 62 dB(A)											
ASL-10 HEPA MR	111856D	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	Swiss	9.8 L	9.5 L
	Dimensions: H71 cm x W41 cm x L41 cm Weight: 11.3 kg. Sound Level: 62 dB(A)											
ASL-10 HEPA MR	111856E	240 V	50 Hz	Single	1032 W	1 kW	4.3 amps.	161 m ³ /h	2440 mm H ₂ O	Chinese	9.8 L	9.5 L
	Dimensions: H71 cm x W41 cm x L41 cm Weight: 11.3 kg. Sound Level: 62 dB(A)											

Please note that specifications are subject to change without notice

Technical Sheet for ASL-10 HEPA MR

HEPA FILTER AND ACCESSORIES - Included

Part #	Description
212303	HEPA FILTER (H14)

FILTERS AND ACCESSORIES - Included

Part #	Description
212515	MAIN FILTER ASSEMBLY WITH BLACK PLASTIC RING
212519	LIQUID FILTER ASSEMBLY WITH BLACK PLASTIC RING

DISPOSABLE FILTER BAGS - Included

Part #	Description
212500	SYNTHETIC RECOVERY BAG(PACKAGE OF 5)

POLY LINER RECOVERY BAGS AND ACCESSORIES - Included

Part #	Description
212371M	24"(61cm)x24"(61cm)-4 MIL LOW DENSITY FLAT POLY BAGS

TOOLS AND ACCESSORIES - Included

Part #	Description
323501	SUCTION HOSE ASSEMBLY 8'(2.44m) FOR AS-10
323505	EXTENSION WANDS FOR AS-10 (SET OF 2) Ø36mm
323511	CREVICE TOOL 8"(20.3cm) FOR AS-10 1.42"(36mm)
323513	UPHOLSTERY TOOL 5"(12.7cm) FOR AS-10 1.42"(36mm)
323515	DUSTING BRUSH 3"(76mm) FOR AS-10 1.42"(36mm)
323507	FLOOR TOOL 14"(35.6cm) FOR AS-10 36mm(1.42")
323492	FLOOR TOOL WITH RUBBER BLADES FOR MODEL ASL-10