





## Use only recommended tools & accessories



55L Detachable Recovery Tank



HEPA Filter - Included



Ø1.5" (Ø38mm) Static Dissipative Tools and Accessories - Optional



Ø2" (Ø50mm) Static Dissipative Tools and Accessories - Optional



Clear Polyliner Recovery Bags - Optional

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



HEPA -  
Optional



Detachable  
Tank



Dry Recovery



Dual Motor

## Specifications for 4D-55L (DT) HD MFS SERIES

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank
4D-55L (DT) HD MFS NO HEPA	112109B	240 V	50 Hz	Single	2100 W	2.1 kW	10 amps.	340 m <sup>3</sup> /h	2290 mm H <sub>2</sub> O	Not Included	55 L
	Dimensions: H140 cm x W53 cm x L58 cm    Weight: 41 kg.    Sound Level: 78 dB(A)										
4D-55L (DT) HD MFS HEPA	112110B	240 V	50 Hz	Single	2100 W	2.1 kW	10 amps.	340 m <sup>3</sup> /h	2290 mm H <sub>2</sub> O	Not Included	55 L
	Dimensions: H140 cm x W53 cm x L58 cm    Weight: 41 kg.    Sound Level: 78 dB(A)										

Please note that specifications are subject to change without notice

## Technical Sheet for 4D-55L (DT) HD MFS SERIES

### HEPA FILTER AND ACCESSORIES FOR 4D-55L (DT) HD MFS HEPA - Included

Part #	Description
215983	HEPA FILTER (MID HEIGHT), 6.375" x 7.40" HIGH w/GASKET, 99.995% EFFICIENCY ON 0.3 MICRON (H14)

### FILTERS AND ACCESSORIES - Included

Part #	Description
214883AT	MAIN FILTER ASSMBLY PTFE 2D/AV-20(DT) w/GASKET, RING & LACES(NO CAGE)(PRE-FILTER NO LONGER REQUIRED)
214880B	WIRE CAGE FOR FILTER -POWDER COATED

### FILTERS AND ACCESSORIES - Optional

Part #	Description
218095T	POLYESTER SAFETY FILTER PTFE LAMINATED ASSEMBLY w/CLAMP FOR 4D (FITS AROUND HEPA HOUSING #218093B)

### POLY LINER RECOVERY BAGS AND ACCESSORIES - Optional

Part #	Description
214988	POLY LINER -CLEAR WITH DRAW STRING (PACKAGE OF 5)
213780	POLY LINER RETAINER PLATE ASSEMBLY (FOR USE WITH MOTORS UP TO 5HP)

### Ø1.5" (Ø38mm) STATIC CONDUCTIVE TOOLS AND ACCESSORIES (RESISTIVITY OF 10/3 - 10/5) - Optional

Part #	Description
383438-50	CRUSHPROOF SUCTION HOSE, BLACK STATIC CONDUCTIVE (NO WIRE), Ø1.5" (Ø38mm) x 50'
383434	HOSE CUFF UNION WITH SWIVEL Ø1.5"(38mm) STATIC CONDUCTIVE -BLACK

383436	HOSE CUFF Ø1.5"(38mm) STATIC CONDUCTIVE -BLACK
383435	EXPANDER HOSE CUFF Ø1.5"(38mm) TO Ø2"(Ø50mm) STATIC CONDUCTIVE -BLACK
500175	CAMLOCK SPECIAL PART C Ø2"(50mm)FEMALE ADAPTOR TO Ø1.5"(38mm)HOSE SHANK -ALUMINUM
383440B	STATIC CONDUCTIVE CRUSHPROOF SUCTION HOSE ASMBLY(NO WIRE) 1.5"(38mm) x 10'(3m) FOR 2" CAMLOCK INTAKE
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381377A	FLOOR TOOL ALUMINUM 1.5"(38mm) x 14"(36cm) WITH CONDUCTIVE BRISTLES
381163	DOUBLE BEND WAND ASSEMBLY (2pc), 1.5" (38mm) x 54" (137cm), CHROME w/ALUMINUM TOOL COUPLING

#### Ø2" (Ø50mm) STATIC CONDUCTIVE TOOLS AND ACCESSORIES (RESISTIVITY OF 10/3 - 10/5) - Optional

Part #	Description
500538-60	CRUSHPROOF SUCTION HOSE (NO WIRE) Ø2"(50mm) STATIC CONDUCTIVE -BLACK (LENGTH OF 60')
500536	HOSE CUFF Ø2"(50mm) STATIC CONDUCTIVE -BLACK
500537	HOSE CUFF UNION WITH SWIVEL Ø2"(50mm) STATIC CONDUCTIVE -BLACK
500534	HOSE CUFF REDUCER Ø2"(50mm) TO Ø1.5"(38mm) STATIC CONDUCTIVE -BLACK
500163	CAMLOCK PART C, 2"(50mm) FEMALE ADAPTOR w/SHANK FOR 2"(50mm) HOSE, ALUMINUM
500540	CRUSHPROOF SUCTION HOSE ASMBLY 2"(50mm) x15'(4.5m) STATIC CONDUCTIVE w/2"(50mm) FEMALE CAMLOCK (ALUM)
500160	WAND ONLY, SINGLE BEND, 2"(50mm) x 48" (122cm), ALUMINUM, WITH TAPER FOR FLOOR TOOL
500161A	UNIVERSAL TOOL Ø2"(50mm)x20"(51cm)SD* NO COUPLING WITH BRASS WHEELS&CONDUCTIVE BRISTLES&RUBBER BLADE
500156B	CREVICE TOOL SD* (NO COUPLING) Ø2"(50mm)x15"(38cm) -ALUMINUM
501184A	DUSTING BRUSH ALUMINUM SD* Ø2"(50mm)x5"(12.7cm)WITH CONDUCTIVE BRISTLES & TUBE FOR PRESSURE FIT
500230	CONICAL NOZZLE RUBBER SD* ASSEMBLY Ø2"(50mm)x7.5"(19cm) WITH Ø2"(50mm)PRESSURE FIT ALUM. CONNECTOR

#### AVAILABLE UPGRADES - Optional

Part #	Description
218169-UPGRADE	UPGRADE FOR HEAVY DUTY CART ASSEMBLY, FROM POWDER COATED STEEL TO STAINLESS STEEL TYPE 304