

### Characteristics



Stainless  
General



SD Tools &  
Accessories



HEPA - Included



High Efficiency



Dry Recovery



- Dust Tight IP5X
- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- For general housekeeping
- Bypass Heavy Duty motor
- For dry recovery only
- Stainless Steel Tank (Type 430) fits any application.
- Detachable Recovery Tank (DT) for easy disposal of recovered materials
- Includes a complete static dissipative tool kit
- Brushless Motor available

## Specifications

2D-10 (4W) HEPA DUST TIGHT IP5X	113185B-3D
<b>Model Name</b>	2D-10 (4W) HEPA DUST TIGHT IP5X
<b>Type (Powerhead)</b>	Electric
<b>Voltage</b>	220/240 V
<b>Hertz</b>	50/60 Hz
<b>Phase</b>	Single
<b>Wattage</b>	1200 W
<b>Power</b>	1.2 kW
<b>Amperage</b>	5 amps.
<b>Air Flow</b>	194 m <sup>3</sup> /h
<b>Vacuum Pressure</b>	2504 mm H <sub>2</sub> O
<b>Sound Level</b>	75 dB(A)
<b>Plug Type</b>	Not Included
<b>Suction Inlet</b>	60 mm
<b>Cart Type</b>	4 Wheel Dolly (4W)
<b>Dry Recovery - Disposable Filter Bag</b>	19 L
<b>Length</b>	48 cm
<b>Width</b>	46 cm
<b>Height</b>	86 cm
<b>Cord Length</b>	10 m

Please note that specifications are subject to change without notice

### Use only recommended tools & accessories



HEPA Filter - Included



Tool Kit for HP2 - Included



Optional 3D Tools

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



Stainless  
General



SD Tools &  
Accessories



HEPA -  
Included



High Efficiency



Dry Recovery

## Specifications for 2D-10 (4W) HEPA DUST TIGHT IP5X

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Disposable Filter Bag
2D-10 (4W) HEPA DUST TIGHT IP5X	113185B-3D	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	Not Included	19 L
Dimensions: H86 cm x W46 cm x L48 cm      Sound Level: 75 dB(A)											

Please note that specifications are subject to change without notice

## Technical Sheet for 2D-10 (4W) HEPA DUST TIGHT IP5X

### HEPA FILTER - Included

Part #	Description
212304B-HD	HEPA FILTER, 99.99% EFFICIENCY ON 0.3 MICRON, HEAVY DUTY CONSTRUCTION

### FILTERS AND ACCESSORIES - Included

Part #	Description
219046A	MAIN FILTER ASSEMBLY SD* FOR C-10 EX VACS WITH 4 LACES FOR WHITE FILTER CAGE (CAGE SOLD SEPARATELY)

### DISPOSABLE FILTER BAGS - Included

Part #	Description
212994-SD	COLLECTION BAGS MADE OF CONDUCTIVE MATERIAL (PKG OF 3)

### POLY LINER RECOVERY BAGS AND ACCESSORIES - Included

Part #	Description
212100S	CONDUCTIVE POLY LINER WITH DRAW STRING (40 LITRES/10 GALLONS)

### TOOLS AND ACCESSORIES - Included

Part #	Description
383440D	STATIC CONDUCTIVE CRUSHPROOF SUCTION HOSE ASMBLY 1.5"(38mm) x 10'(3m)FOR USE w/60mm CONDUCTIVE INLET
381818	CREVICE TOOL 1.5"(38mm) x 8"(20cm) w/1.5" ALUMINUM TUBE, BLACK RUBBER, CONDUCTIVE & OIL RESISTANT
383312A	ROUND BRUSH ASSEMBLY, ESD SAFE PLASTIC, FOR USE WITH 1.5" (38mm) HOSE
383462	CONICAL NOZZLE ASMBLY w/CURVED TIP, 10"(25cm) CONDUCTIVE RUBBER, PRESSURE FIT (323562+381155A-H)

### TOOLS AND ACCESSORIES - Optional

Part #	Description
381477	DOUBLE BEND WAND (2pc) 1.5" (38mm) x 54" (137cm), CHROME, w/TAPER FOR PLASTIC FLOOR TOOLS
381448A	UTILITY FLOOR TOOL, Ø1.5"(Ø38mm) x 12"(30cm), STATIC CONDUCTIVE PLASTIC w/CONDUCTIVE NYLON BRISTLES