

Characteristics




HEPA - Included



High Efficiency



Dry Recovery



Accessories
Included



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- 3-Stage Filtration System includes a HEPA (H14) Filter, Main Cloth Filter and Disposable Filter Bags
- For general housekeeping
- Thru-Flow heavy duty motor.
- For dry recovery only
- Plastic construction
- Equipped with a Backpack Harness, this unit is lightweight and ergonomic
- Includes a complete tool kit.

Specifications

| T1-3L (BP) HEPA | 112210B | 112210C | 112210D | 112210E | 112212B | 112212C |
|---|---------------------------------------|-----------------------------------|------------------------------------|--------------------------------------|------------------------------------|------------------------------|
| Model Name | T1-3L (BP) NO HEPA WITH EUROPEAN PLUG | T1-3L (BP) NO HEPA WITH UK PLUG | T1-3L (BP) NO HEPA WITH SWISS PLUG | T1-3L (BP) NO HEPA WITH CHINESE PLUG | T1-3L (BP) HEPA WITH EUROPEAN PLUG | T1-3L (BP) HEPA WITH UK PLUG |
| Type (Powerhead) | Electric | Electric | Electric | Electric | Electric | Electric |
| Voltage | 230 V | 230 V | 230 V | 230 V | 230 V | 230 V |
| Hertz | 50 Hz | 50 Hz | 50 Hz | 50 Hz | 50 Hz | 50 Hz |
| Phase | Single | Single | Single | Single | Single | Single |
| Wattage | 1350 W | 1350 W | 1350 W | 1350 W | 1350 W | 1350 W |
| Power | 1.3 kW | 1.3 kW | 1.3 kW | 1.3 kW | 1.3 kW | 1.3 kW |
| Amperage | 5.9 amps. | 5.9 amps. | 5.9 amps. | 5.9 amps. | 5.9 amps. | 5.9 amps. |
| Air Flow | 182 m ³ /h | 182 m ³ /h | 182 m ³ /h | 182 m ³ /h | 182 m ³ /h | 182 m ³ /h |
| Vacuum Pressure | 2950 mm H ₂ O | 2950 mm H ₂ O | 2950 mm H ₂ O | 2950 mm H ₂ O | 2950 mm H ₂ O | 2950 mm H ₂ O |
| Sound Level | 60 dB(A) | 60 dB(A) | 60 dB(A) | 60 dB(A) | 60 dB(A) | 60 dB(A) |
| Plug Type | European | European | European | European | European | European |
| Suction Inlet | 38 mm | 38 mm | 38 mm | 38 mm | 38 mm | 38 mm |
| Cart Type | BackPack (BP) | BackPack (BP) | BackPack (BP) | BackPack (BP) | BackPack (BP) | BackPack (BP) |
| Filter Cleaning | None | None | None | None | None | None |
| Dry Recovery - Disposable Filter Bag | 3 L | 3 L | 3 L | 3 L | 3 L | 3 L |
| Length | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm |
| Width | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm |
| Weight (Vacuum Only) | 5 kg. | 5 kg. | 5 kg. | 5 kg. | 5 kg. | 5 kg. |
| Height | 50 cm | 50 cm | 50 cm | 50 cm | 50 cm | 50 cm |
| Cord Length | 10 m | 10 m | 10 m | 10 m | 10 m | 10 m |
| T1-3L (BP) HEPA | 112212D | 112212E | | | | |
| Model Name | T1-3L (BP) HEPA WITH SWISS PLUG | T1-3L (BP) HEPA WITH CHINESE PLUG | | | | |
| Type (Powerhead) | Electric | Electric | | | | |
| Voltage | 230 V | 230 V | | | | |
| Hertz | 50 Hz | 50 Hz | | | | |
| Phase | Single | Single | | | | |
| Wattage | 1350 W | 1350 W | | | | |
| Power | 1.3 kW | 1.3 kW | | | | |
| Amperage | 5.9 amps. | 5.9 amps. | | | | |
| Air Flow | 182 m ³ /h | 182 m ³ /h | | | | |
| Vacuum Pressure | 2950 mm H ₂ O | 2950 mm H ₂ O | | | | |
| Sound Level | 60 dB(A) | 60 dB(A) | | | | |
| Plug Type | European | European | | | | |

| | | |
|---|---------------|---------------|
| Suction Inlet | 38 mm | 38 mm |
| Cart Type | BackPack (BP) | BackPack (BP) |
| Filter Cleaning | None | None |
| Dry Recovery - Disposable Filter Bag | 3 L | 3 L |
| Length | 24 cm | 24 cm |
| Width | 24 cm | 24 cm |
| Weight (Vacuum Only) | 5 kg. | 5 kg. |
| Height | 50 cm | 50 cm |
| Cord Length | 10 m | 10 m |

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



T1-3L Complete Toolkit - Included (optional tools also shown)



HEPA Filter for model T1-3L HEPA - Included



Micro Filter for model T1-3L NO HEPA - Included

European Headquarters

Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



Specifications for T1-3L (BP) HEPA

| Name | Part Number | Voltage | Hertz | Phase | Wattage | Power | Amperage | Air Flow | Vacuum Pressure | Plug Type | Dry Recovery - Disposable Filter Bag |
|--|--|---------|-------|--------|---------|--------|-----------|-----------------------|--------------------------|-----------|--------------------------------------|
| T1-3L (BP) NO HEPA WITH EUROPEAN PLUG | 112210B | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) NO HEPA WITH UK PLUG | 112210C | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) NO HEPA WITH SWISS PLUG | 112210D | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) NO HEPA WITH CHINESE PLUG | 112210E | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) HEPA WITH EUROPEAN PLUG | 112212B | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) HEPA WITH UK PLUG | 112212C | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) HEPA WITH SWISS PLUG | 112212D | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |
| T1-3L (BP) HEPA WITH CHINESE PLUG | 112212E | 230 V | 50 Hz | Single | 1350 W | 1.3 kW | 5.9 amps. | 182 m ³ /h | 2950 mm H ₂ O | European | 3 L |
| | Dimensions: H50 cm x W24 cm x L24 cm Weight: 5 kg. Sound Level: 60 dB(A) | | | | | | | | | | |

Please note that specifications are subject to change without notice

Technical Sheet for T1-3L (BP) HEPA

HEPA FILTER AND ACCESSORIES FOR MODEL T1-3L (BP) HEPA - Included

| Part # | Description |
|--------|-------------------|
| 212303 | HEPA FILTER (H14) |

MICRO FILTER FOR MODEL T1-3L (BP) NO HEPA - Included

| Part # | Description |
|--------|---|
| 217502 | MICRO FILTER CARTRIDGE FOR MODEL T1-3L (NB: THIS CARTRIDGE IS NOT HEPA) |

FILTERS AND ACCESSORIES - Included

| Part # | Description |
|--------|--------------------------------------|
| 217504 | CLOTH FILTER FOR T1-3L (BP) BACKPACK |

DISPOSABLE FILTER BAGS - Included

| Part # | Description |
|--------|----------------------------------|
| 212075 | PAPER FILTER BAGS (PACKAGE OF 5) |

TOOLS AND ACCESSORIES - Included

| Part # | Description |
|---------|--|
| 323620 | SUCTION HOSE FOR MODEL T1-3L (BP) BACKPACK, 1.25"(32mm) x 5'(1.5m), WITH PLASTIC CURVED HANDLE |
| 323504A | TELESCOPIC EXTENSION WAND FOR MODEL CR-1 (REPLACEMENT FOR MODEL T1), PLASTIC |
| 323646 | FLOOR TOOL WITH WHEELS & NYLON BRISTLES, 1.25"(32mm) x 12.5"(32cm), BLACK PLASTIC |
| 323510 | CREVICE TOOL FOR AS-5 AND CR-1 1.25"(32mm)x8"(20.3cm) |
| 323512 | UPHOLSTERY TOOL FOR AS-5 AND CR-1 1.25"(32mm)x5"(13cm) |
| 323514 | DUSTING BRUSH FOR AS-5 AND CR-1 1.25"(32mm)x3"(76mm) |

TOOLS AND ACCESSORIES - Optional

| Part # | Description |
|--------|---|
| 323640 | FLAT CARPET TOOL WITH WHEELS, 1.25"(32mm) x 11"(285mm), BLACK PLASTIC |
| 323642 | SINGLE EXTENSION WAND, 1.25"(32mm) x 19.5"(50cm), BLACK METAL |