

## Characteristics




HEPA - Included



High Efficiency



Dry Recovery



Accessories  
Included



Low Noise



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- Designed for the Recovery of Asbestos, Lead, Mold, etc.
- Lightweight and portable.
- Thru-Flow heavy duty motor.
- Equipped with a 4-stage filtration system
- For dry recovery only
- Heavy Duty plastic recovery tank
- Illuminated Switch and Disposable Filter Bag indicator.
- Ready to use: filters and tool kit included.
- Carriage Base with Accessories Tray is included

## Specifications

AS-6 HEPA	112382B
Model Name	AS-6 HEPA
Type (Powerhead)	Electric
Voltage	230 V
Hertz	50 Hz
Phase	Single
Wattage	1100 W
Power	1 kW
Amperage	5.5 amps.
Air Flow	205 m <sup>3</sup> /h
Vacuum Pressure	2550 mm H <sub>2</sub> O
Sound Level	59 dB(A)
Suction Inlet	38 mm
Cart Type	4 Wheel Dolly (4W)
Dry Recovery - Disposable Filter Bag	12 L
Length	51 cm
Width	41 cm
Weight (Vacuum Only)	8 kg.
Height	41 cm

Please note that specifications are subject to change without notice

### Use only recommended tools & accessories



AS-6 Tools and Accessories - Included



AS-6 Filters - Included

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



## Specifications for AS-6 HEPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Dry Recovery - Disposable Filter Bag
<b>AS-6 HEPA</b>	<b>112382B</b>	230 V	50 Hz	Single	1100 W	1 kW	5.5 amps.	205 m <sup>3</sup> /h	2550 mm H <sub>2</sub> O	12 L
Dimensions: H41 cm x W41 cm x L51 cm    Weight: 8 kg.    Sound Level: 59 dB(A)										

Please note that specifications are subject to change without notice

## Technical Sheet for AS-6 HEPA

### HEPA FILTER AND ACCESSORIES - Included

Part #	Description
212303	HEPA FILTER (H14)

### FILTERS AND ACCESSORIES - Included

Part #	Description
212303F2	MICRO SAFETY FILTER (CLOTH) WITH ELASTIC, FOR USE WITH HEPA FILTER 212303
217522	EXHAUST AIR FILTER ASSEMBLY FOR MODEL AS-6

### DISPOSABLE FILTER BAGS - Included

Part #	Description
217520	PAPER FILTER BAGS FOR MODEL AS-6 (PACKAGE OF 5)

### TOOLS AND ACCESSORIES - Included

Part #	Description
323630	SUCTION HOSE ASSEMBLY FOR MODEL AS-6, 1.25"(32mm) x 8'(2.4m)
323504	EXTENSION WANDS FOR AS-5 (SET OF 2) 1.25"(32mm) -CHROME
323510	CREVICE TOOL FOR AS-5 AND CR-1 1.25"(32mm)x8"(20.3cm)
323514	DUSTING BRUSH FOR AS-5 AND CR-1 1.25"(32mm)x3"(76mm)
323512	UPHOLSTERY TOOL FOR AS-5 AND CR-1 1.25"(32mm)x5"(13cm)
323508	FLOOR TOOL 1.25"(32mm) x 14"(36cm), FOR AS-5 AND CR-1, BLACK PLASTIC

### TOOL CADDY - Included

Part #	Description
323633	TOOL CADDY, BLACK PLASTIC, FOR 1.25" (32mm) WAND (WAND SOLD SEPARATELY)

### TOOLS AND ACCESSORIES - Optional

Part #	Description
323311B	COMBINATION TOOL, Ø1.25"(32mm) -BLACK
323518A	TK 280-TURBO AIR TURBINE