

## Characteristics



HEPA - Included



High Efficiency



Dry Recovery



Accessories  
Included



SS 430



Low Noise



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- Designed for the Recovery of Asbestos, Lead, Mold, etc.
- Lightweight and portable.
- Bypass Heavy Duty motor
- Equipped with a 3-Stage Filtration System
- For dry recovery only
- Heavy Duty plastic recovery tank
- Stainless Steel recovery tank available.
- Ready to use: filters and tool kit included.
- Mounted on a 4-wheel cart for easy maneuverability
- Built-in storage tray with two large 6 3/4" (170 mm) rear wheels and two 2 1/4" (60mm) front wheels
- 50' grounded power cord available.

## Specifications

AS-400 HEPA (Dry)	110765B	110765C	110765D	110765E	110766B	110766C
<b>Model Name</b>	AS-400 HEPA WITH STAINLESS STEEL TANK	AS-400 HEPA WITH POLY TANK	AS-400 HEPA WITH POLY TANK			
<b>Type (Powerhead)</b>	Electric	Electric	Electric	Electric	Electric	Electric
<b>Voltage</b>	220/240 V	220/240 V	220/240 V	220/240 V	220/240 V	220/240 V
<b>Hertz</b>	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
<b>Phase</b>	Single	Single	Single	Single	Single	Single
<b>Wattage</b>	1200 W	1200 W	1200 W	1200 W	1200 W	1200 W
<b>Power</b>	1.2 kW	1.2 kW	1.2 kW	1.2 kW	1.2 kW	1.2 kW
<b>Amperage</b>	5 amps.	5 amps.	5 amps.	5 amps.	5 amps.	5 amps.
<b>Air Flow</b>	194 m <sup>3</sup> /h	194 m <sup>3</sup> /h	194 m <sup>3</sup> /h			
<b>Vacuum Pressure</b>	2504 mm H <sub>2</sub> O	2504 mm H <sub>2</sub> O	2504 mm H <sub>2</sub> O			
<b>Sound Level</b>	63 dB(A)	63 dB(A)	63 dB(A)	63 dB(A)	63 dB(A)	63 dB(A)
<b>Plug Type</b>	European	UK	Swiss	Chinese	European	UK
<b>Suction Inlet</b>	38 mm	38 mm	38 mm	38 mm	38 mm	38 mm
<b>Cart Type</b>	Carriage Base (CB)	Carriage Base (CB)	Carriage Base (CB)	Carriage Base (CB)	Carriage Base (CB)	Carriage Base (CB)
<b>Filter Cleaning</b>	None	None	None	None	None	None
<b>Dry Recovery - Tank</b>	38 L	38 L	38 L	38 L	38 L	38 L
<b>Dry Recovery - Disposable Filter Bag</b>	38 L	38 L	38 L	38 L	38 L	38 L
<b>Length</b>	50 cm	50 cm	50 cm	50 cm	50 cm	50 cm
<b>Width</b>	52 cm	52 cm	52 cm	52 cm	52 cm	52 cm
<b>Weight (Vacuum Only)</b>	15 kg.	15 kg.	15 kg.	15 kg.	15 kg.	15 kg.
<b>Height</b>	84 cm	84 cm	84 cm	84 cm	84 cm	84 cm
<b>Cord Length</b>	10 m	10 m	10 m	10 m	10 m	10 m
AS-400 HEPA (Dry)	110766D	110766E				
<b>Model Name</b>	AS-400 HEPA WITH POLY TANK	AS-400 HEPA WITH POLY TANK				
<b>Type (Powerhead)</b>	Electric	Electric				
<b>Voltage</b>	220/240 V	220/240 V				
<b>Hertz</b>	50/60 Hz	50/60 Hz				
<b>Phase</b>	Single	Single				
<b>Wattage</b>	1200 W	1200 W				
<b>Power</b>	1.2 kW	1.2 kW				
<b>Amperage</b>	5 amps.	5 amps.				
<b>Air Flow</b>	194 m <sup>3</sup> /h	194 m <sup>3</sup> /h				
<b>Vacuum Pressure</b>	2504 mm H <sub>2</sub> O	2504 mm H <sub>2</sub> O				
<b>Sound Level</b>	63 dB(A)	63 dB(A)				

<b>Plug Type</b>	Swiss	Chinese
<b>Suction Inlet</b>	38 mm	38 mm
<b>Cart Type</b>	Carriage Base (CB)	Carriage Base (CB)
<b>Filter Cleaning</b>	None	None
<b>Dry Recovery - Tank</b>	38 L	38 L
<b>Dry Recovery - Disposable Filter Bag</b>	38 L	38 L
<b>Length</b>	50 cm	50 cm
<b>Width</b>	52 cm	52 cm
<b>Weight (Vacuum Only)</b>	15 kg.	15 kg.
<b>Height</b>	84 cm	84 cm
<b>Cord Length</b>	10 m	10 m

Please note that specifications are subject to change without notice

### Use only recommended tools & accessories



HEPA Filter - Included



AS-400 Disposable Filter Bags and Poly Liner Recovery Bags - Included



AS-400 HEPA (DRY) Tools and Accessories - Included



Beater Bar - Optional

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



HEPA -  
Included



High  
Efficiency



Dry Recovery



Accessories  
Included



SS 430



Low Noise

## Specifications for AS-400 HEPA (Dry)

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
<b>AS-400 HEPA WITH STAINLESS STEEL TANK</b>	<b>110765B</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	European	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH STAINLESS STEEL TANK</b>	<b>110765C</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	UK	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH STAINLESS STEEL TANK</b>	<b>110765D</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	Swiss	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH STAINLESS STEEL TANK</b>	<b>110765E</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	Chinese	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH POLY TANK</b>	<b>110766B</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	European	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH POLY TANK</b>	<b>110766C</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	UK	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											
<b>AS-400 HEPA WITH POLY TANK</b>	<b>110766D</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	Swiss	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm    Weight: 15 kg.    Sound Level: 63 dB(A)											

<b>AS-400 HEPA WITH POLY TANK</b>	<b>110766E</b>	220/240 V	50/60 Hz	Single	1200 W	1.2 kW	5 amps.	194 m <sup>3</sup> /h	2504 mm H <sub>2</sub> O	Chinese	38 L	38 L
	Dimensions: H84 cm x W52 cm x L50 cm			Weight: 15 kg.			Sound Level: 63 dB(A)					

Please note that specifications are subject to change without notice

## Technical Sheet for AS-400 HEPA (Dry)

### HEPA FILTER AND ACCESSORIES - Included

Part #	Description
212303	HEPA FILTER (H14)

### FILTERS AND ACCESSORIES - Included

Part #	Description
212385S	MAIN FILTER ASSEMBLY WITH BLACK PLASTIC RING, SHORT (FOR DRY RECOVERY ONLY)

### DISPOSABLE FILTER BAGS - Included

Part #	Description
212535	PAPER FILTER BAGS (PACKAGE OF 5)

### DISPOSABLE FILTER BAGS - Optional

Part #	Description
217806	SYNTHETIC RECOVERY BAGS, 10 GALLONS, FOR AS-400 & CS-11, (PACKAGE OF 3)

### POLY LINER RECOVERY BAGS AND ACCESSORIES - Included

Part #	Description
213184M	POLY LINERS "NEST" FOR 12 AND 14 GALLON - NO HOLE (PACKAGE OF 5) INCLUDES TWIST TIES

### TOOLS AND ACCESSORIES - Included

Part #	Description
381475	CRUSHPROOF SUCTION HOSE ASSEMBLY 8'(2.4m) FOR AS-400 1.6"(40mm)
381477	DOUBLE BEND WAND (2pc) 1.5" (38mm) x 54" (137cm), CHROME, w/TAPER FOR PLASTIC FLOOR TOOLS
381480	CREVICE TOOL 10"(25.4cm) FOR AS-400 1.6"(40mm)
381482	DUSTING BRUSH 3"(76mm) FOR AS-400 1.6"(40mm)
381485	FLOOR TOOL w/BRUSHES FOR AS-400, 1.5"(38mm) x 16" (41cm), BLACK PLASTIC

### TOOLS AND ACCESSORIES - Optional

Part #	Description
381475-10	CRUSHPROOF SUCTION HOSE ASSEMBLY 1.5" x 10' FOR MODEL AS-400
381483	CARPET TOOL FOR AS-27 AND AS-400 1.6"(40mm)