

## Characteristics



HEPA - Included



High Efficiency



Wet and Dry  
Recovery



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- For general housekeeping
- Bypass Heavy Duty motor
- For wet and dry recovery
- Polyethylene recovery tank.
- Silent operation
- Equipped with 4 wheels for easy maneuverability

## Specifications

B-8 RE HEPA	110560B	110560C	110560D	110560E
<b>Model Name</b>	B-8 (F) RE HEPA			
<b>Type (Powerhead)</b>	Electric	Electric	Electric	Electric
<b>Voltage</b>	230 V	230 V	230 V	230 V
<b>Hertz</b>	50 Hz	50 Hz	50 Hz	50 Hz
<b>Phase</b>	Single	Single	Single	Single
<b>Wattage</b>	1400 W	1400 W	1400 W	1400 W
<b>Power</b>	1.3 kW	1.3 kW	1.3 kW	1.3 kW
<b>Amperage</b>	5 amps.	5 amps.	5 amps.	5 amps.
<b>Air Flow</b>	153 m <sup>3</sup> /h			
<b>Vacuum Pressure</b>	2030 mm H <sub>2</sub> O			
<b>Sound Level</b>	69 dB(A)	69 dB(A)	69 dB(A)	69 dB(A)
<b>Plug Type</b>	European	UK	Swiss	Chinese
<b>Suction Inlet</b>	38 mm	38 mm	38 mm	38 mm
<b>Cart Type</b>	4 Wheel Dolly (4W)			
<b>Filter Cleaning</b>	None	None	None	None
<b>Dry Recovery - Tank</b>	30.3 L	30.3 L	30.3 L	30.3 L
<b>Dry Recovery - Disposable Filter Bag</b>	9.5 L	9.5 L	9.5 L	9.5 L
<b>Wet Recovery Capacity</b>	30.3 L	30.3 L	30.3 L	30.3 L
<b>Length</b>	58 cm	58 cm	58 cm	58 cm
<b>Width</b>	46 cm	46 cm	46 cm	46 cm
<b>Weight (Vacuum Only)</b>	18 kg.	19 kg.	19 kg.	19 kg.
<b>Height</b>	71 cm	71 cm	71 cm	71 cm
<b>Cord Length</b>	10.6 m	10.6 m	10.6 m	10.6 m

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



HEPA Filter - Included



Disposable Filter Bag - Included



Clear Polyliner Recovery Bags - Included



PVC Crushproof Suction Hose Assembly - Included



Tools and Accessories (Toolkit 4B) - Optional



Optional variable speed controller available - must be factory installed

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



HEPA -  
Included



High Efficiency



Wet and Dry  
Recovery

## Specifications for B-8 RE HEPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
<b>B-8 (F) RE HEPA</b>	<b>110560B</b>	230 V	50 Hz	Single	1400 W	1.3 kW	5 amps.	153 m <sup>3</sup> /h	2030 mm H <sub>2</sub> O	European	30.3 L	9.5 L
	Dimensions: H71 cm x W46 cm x L58 cm    Weight: 18 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

<b>B-8 (F) RE HEPA</b>	<b>110560C</b>	230 V	50 Hz	Single	1400 W	1.3 kW	5 amps.	153 m <sup>3</sup> /h	2030 mm H <sub>2</sub> O	UK	30.3 L	9.5 L
	Dimensions: H71 cm x W46 cm x L58 cm    Weight: 19 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

<b>B-8 (F) RE HEPA</b>	<b>110560D</b>	230 V	50 Hz	Single	1400 W	1.3 kW	5 amps.	153 m <sup>3</sup> /h	2030 mm H <sub>2</sub> O	Swiss	30.3 L	9.5 L
	Dimensions: H71 cm x W46 cm x L58 cm    Weight: 19 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

<b>B-8 (F) RE HEPA</b>	<b>110560E</b>	230 V	50 Hz	Single	1400 W	1.3 kW	5 amps.	153 m <sup>3</sup> /h	2030 mm H <sub>2</sub> O	Chinese	30.3 L	9.5 L
	Dimensions: H71 cm x W46 cm x L58 cm    Weight: 19 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

Please note that specifications are subject to change without notice

## Technical Sheet for B-8 RE HEPA

HEPA FILTER AND ACCESSORIES - Included	
Part #	Description
211027B	HEPA FILTER 99.995% EFFICIENCY ON 0.3 MICRON (CE VERSION)

FILTERS AND ACCESSORIES - Included	
Part #	Description
211265	DOUBLE CLOTH FILTER ASSEMBLY
211274	LIQUID FILTER FILTER ASSEMBLY

DISPOSABLE FILTER BAGS - Included	
Part #	Description
211028	PAPER FILTER BAG (PACKAGE OF 5)

POLY LINER RECOVERY BAGS AND ACCESSORIES - Included	
---	--

Part #	Description
212371M	24"(61cm)x24"(61cm)-4 MIL LOW DENSITY FLAT POLY BAGS

#### PVC CRUSHPROOF SUCTION HOSE ASSEMBLY - Included

Part #	Description
381137B	PVC CRUSHPROOF SUCTION HOSE ASSEMBLY Ø1.5"(38mm)x10'(3m) WITH SWIVEL

#### TOOLS AND ACCESSORIES - Optional

Part #	Description
381163	DOUBLE BEND WAND ASSEMBLY (2pc), 1.5" (38mm) x 54" (137cm), CHROME w/ALUMINUM TOOL COUPLING
381171	UNIVERSAL TOOL, INCLUDES RUBBER BLADES & BRUSH STRIPS 18"(45.7cm) -ALUMINUM
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381111B	TOOL KIT# 4B (WITH ALUMINUM CREVICE TOOL)