

Characteristics



HEPA - Included



High Efficiency



Wet and Dry
Recovery



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- For general housekeeping
- Bypass Heavy Duty motor
- For wet and dry recovery
- Polyethylene recovery tank.
- Silent operation
- Mounted on a Tilting Cart (TC) for easy disposal of recovered materials.

Specifications


2D-15 (TC) RE HEPA	110566B	110566C	110566D	110566E
Model Name	2D-15 (F) (TC) RE HEPA			
Type (Powerhead)	Electric	Electric	Electric	Electric
Voltage	240 V	240 V	240 V	240 V
Hertz	50 Hz	50 Hz	50 Hz	50 Hz
Phase	Single	Single	Single	Single
Wattage	1050 W	1050 W	1050 W	1050 W
Power	1.1 kW	1.1 kW	1.1 kW	1.1 kW
Amperage	5 amps.	5 amps.	5 amps.	5 amps.
Air Flow	173 m ³ /h			
Vacuum Pressure	2110 mm H ₂ O			
Sound Level	69 dB(A)	69 dB(A)	69 dB(A)	69 dB(A)
Plug Type	European	UK	Swiss	Chinese
Suction Inlet	38 mm	38 mm	38 mm	38 mm
Cart Type	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)
Filter Cleaning	None	None	None	None
Dry Recovery - Tank	47.3 L	47.3 L	47.3 L	47.3 L
Dry Recovery - Disposable Filter Bag	19 L	19 L	19 L	19 L
Wet Recovery Capacity	47.3 L	47.3 L	47.3 L	47.3 L
Length	76 cm	76 cm	76 cm	76 cm
Width	71 cm	71 cm	71 cm	71 cm
Weight (Vacuum Only)	35 kg.	35 kg.	35 kg.	35 kg.
Height	97 cm	97 cm	97 cm	97 cm
Cord Length	10.6 m	10.6 m	10.6 m	10.6 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



HEPA Filter - Included



Disposable Filter Bag - Included



Clear Polyliner Recovery Bags - Included



PVC Crushproof Suction Hose Assembly - Included



Tools and Accessories (Toolkit 4B) - Optional

European Headquarters

Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



HEPA -
Included



High Efficiency



Wet and Dry
Recovery

Specifications for 2D-15 (TC) RE HEPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
2D-15 (F) (TC) RE HEPA	110566B	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m ³ /h	2110 mm H ₂ O	European	47.3 L	19 L
	Dimensions: H97 cm x W71 cm x L76 cm Weight: 35 kg. Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-15 (F) (TC) RE HEPA	110566C	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m ³ /h	2110 mm H ₂ O	UK	47.3 L	19 L
	Dimensions: H97 cm x W71 cm x L76 cm Weight: 35 kg. Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-15 (F) (TC) RE HEPA	110566D	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m ³ /h	2110 mm H ₂ O	Swiss	47.3 L	19 L
	Dimensions: H97 cm x W71 cm x L76 cm Weight: 35 kg. Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-15 (F) (TC) RE HEPA	110566E	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m ³ /h	2110 mm H ₂ O	Chinese	47.3 L	19 L
	Dimensions: H97 cm x W71 cm x L76 cm Weight: 35 kg. Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

Please note that specifications are subject to change without notice

Technical Sheet for 2D-15 (TC) RE HEPA

HEPA FILTER AND ACCESSORIES - Included	
Part #	Description
211027B	HEPA FILTER 99.995% EFFICIENCY ON 0.3 MICRON (CE VERSION)

FILTERS AND ACCESSORIES - Included	
Part #	Description
211430T	MAIN FILTER ASSEMBLY, PTFE LAMINATED, w/YELLOW GASKET, w/RING #214279 FOR USE WITH POLY TANKS
211394	LIQUID FILTER ASSEMBLY

DISPOSABLE FILTER BAGS - Included

Part #	Description
211063	PAPER FILTER BAGS (PACKAGE OF 5)

POLY LINER RECOVERY BAGS AND ACCESSORIES - Included

Part #	Description
213184M	POLY LINERS "NEST" FOR 12 AND 14 GALLON - NO HOLE (PACKAGE OF 5) INCLUDES TWIST TIES

PVC CRUSHPROOF SUCTION HOSE ASSEMBLY - Included

Part #	Description
381137A	PVC CRUSHPROOF SUCTION HOSE ASSEMBLY, Ø1.5"(38mm)x10'(3m) FOR Ø1.5"(38mm) SCREW TYPE INTAKE

TOOLS AND ACCESSORIES - Optional

Part #	Description
381163	DOUBLE BEND WAND ASSEMBLY (2pc), 1.5" (38mm) x 54" (137cm), CHROME w/ALUMINUM TOOL COUPLING
381171	UNIVERSAL TOOL, INCLUDES RUBBER BLADES & BRUSH STRIPS 18"(45.7cm) -ALUMINUM
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381111B	TOOL KIT# 4B (WITH ALUMINUM CREVICE TOOL)