

## Characteristics



HEPA - Included



High Efficiency



Wet and Dry  
Recovery



- HEPA Filter - Included with an efficiency of 99.995% on 0.3 micron. Tested: IEST RP-CC001 H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA Vacuum Cleaners are Aerosol Leak Tested before leaving our facility.
- For general housekeeping
- Bypass Heavy Duty motor
- For wet and dry recovery
- Polyethylene recovery tank.
- Silent operation
- Mounted on a Tilting Cart (TC) for easy disposal of recovered materials.

## Specifications

2D-25 (TC) RE HEPA	110572B	110572C	110572D	110572E
<b>Model Name</b>	2D-25 (F) (TC) RE HEPA			
<b>Type (Powerhead)</b>	Electric	Electric	Electric	Electric
<b>Voltage</b>	240 V	240 V	240 V	240 V
<b>Hertz</b>	50 Hz	50 Hz	50 Hz	50 Hz
<b>Phase</b>	Single	Single	Single	Single
<b>Wattage</b>	1050 W	1050 W	1050 W	1050 W
<b>Power</b>	1.1 kW	1.1 kW	1.1 kW	1.1 kW
<b>Amperage</b>	5 amps.	5 amps.	5 amps.	5 amps.
<b>Air Flow</b>	173 m <sup>3</sup> /h			
<b>Vacuum Pressure</b>	2110 mm H <sub>2</sub> O			
<b>Sound Level</b>	69 dB(A)	69 dB(A)	69 dB(A)	69 dB(A)
<b>Plug Type</b>	European	UK	Swiss	Chinese
<b>Suction Inlet</b>	38 mm	38 mm	38 mm	38 mm
<b>Cart Type</b>	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)
<b>Filter Cleaning</b>	None	None	None	None
<b>Dry Recovery - Tank</b>	64.4 L	64.4 L	64.4 L	64.4 L
<b>Dry Recovery - Disposable Filter Bag</b>	26.5 L	26.5 L	26.5 L	26.5 L
<b>Wet Recovery Capacity</b>	64.4 L	64.4 L	64.4 L	64.4 L
<b>Width</b>	66 cm	66 cm	66 cm	66 cm
<b>Weight (Vacuum Only)</b>	35 kg.	35 kg.	35 kg.	35 kg.
<b>Height</b>	117 cm	117 cm	117 cm	117 cm
<b>Cord Length</b>	10.6 m	10.6 m	10.6 m	10.6 m

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



HEPA Filter - Included



Main Cloth Filter - Included



Liquid Filter - Included



PVC Crushproof Suction Hose Assembly - Included



Disposable Filter Bag - Optional



Clear Polyliner Recovery Bags - Optional



Tools and Accessories (Toolkit 4B) - Optional

### European Headquarters

**Tiger-Vac Europa S.R.L.**  
Via Marie Curie 17  
Zona Industriale Ponte Rizzoli  
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)  
Fax: ((39) 051 4695077)  
Website: <http://www.tiger-vac.eu>  
Email: [info@tiger-vac.it](mailto:info@tiger-vac.it)

### International Headquarters

**Tiger-Vac International Inc.**  
2020 Dagenais Blvd. Ouest  
Laval, Quebec  
Canada H7L 5W2

Tel: (450-625-0099)  
Fax: (450-625-3388)  
Website: <http://www.tiger-vac.com>  
Email: [sales@tiger-vac.com](mailto:sales@tiger-vac.com)



HEPA -  
Included



High Efficiency



Wet and Dry  
Recovery

## Specifications for 2D-25 (TC) RE HEPA

Name	Part Number	Voltage	Hertz	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Plug Type	Dry Recovery - Tank	Dry Recovery - Disposable Filter Bag
2D-25 (F) (TC) RE HEPA	110572B	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m <sup>3</sup> /h	2110 mm H <sub>2</sub> O	European	64.4 L	26.5 L
	Dimensions: H117 cm x W66 cm    Weight: 35 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-25 (F) (TC) RE HEPA	110572C	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m <sup>3</sup> /h	2110 mm H <sub>2</sub> O	UK	64.4 L	26.5 L
	Dimensions: H117 cm x W66 cm    Weight: 35 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-25 (F) (TC) RE HEPA	110572D	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m <sup>3</sup> /h	2110 mm H <sub>2</sub> O	Swiss	64.4 L	26.5 L
	Dimensions: H117 cm x W66 cm    Weight: 35 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

2D-25 (F) (TC) RE HEPA	110572E	240 V	50 Hz	Single	1050 W	1.1 kW	5 amps.	173 m <sup>3</sup> /h	2110 mm H <sub>2</sub> O	Chinese	64.4 L	26.5 L
	Dimensions: H117 cm x W66 cm    Weight: 35 kg.    Sound Level: 69 dB(A)											
Description: Manufacturer motor performance only on an orifice of Ø2" (Ø50mm). Results may vary.												

Please note that specifications are subject to change without notice

## Technical Sheet for 2D-25 (TC) RE HEPA

HEPA FILTER AND ACCESSORIES - Included	
Part #	Description
211027B	HEPA FILTER 99.995% EFFICIENCY ON 0.3 MICRON (CE VERSION)

FILTERS AND ACCESSORIES - Included	
Part #	Description
211430T	MAIN FILTER ASSEMBLY, PTFE LAMINATED, w/YELLOW GASKET, w/RING #214279 FOR USE WITH POLY TANKS
211394	LIQUID FILTER ASSEMBLY

**DISPOSABLE FILTER BAGS - Included**

<b>Part #</b>	<b>Description</b>
211064	PAPER FILTER BAGS (PACKAGE OF 5)

**POLY LINER RECOVERY BAGS AND ACCESSORIES - Optional**

<b>Part #</b>	<b>Description</b>
213184M	POLY LINERS "NEST" FOR 12 AND 14 GALLON - NO HOLE (PACKAGE OF 5) INCLUDES TWIST TIES

**PVC CRUSHPROOF SUCTION HOSE ASSEMBLY - Included**

<b>Part #</b>	<b>Description</b>
381137A	PVC CRUSHPROOF SUCTION HOSE ASSEMBLY, Ø1.5"(38mm)x10'(3m) FOR Ø1.5"(38mm) SCREW TYPE INTAKE

**TOOLS AND ACCESSORIES - Optional**

<b>Part #</b>	<b>Description</b>
381163	DOUBLE BEND WAND ASSEMBLY (2pc), 1.5" (38mm) x 54" (137cm), CHROME w/ALUMINUM TOOL COUPLING
381171	UNIVERSAL TOOL, INCLUDES RUBBER BLADES & BRUSH STRIPS 18"(45.7cm) -ALUMINUM
381188	CREVICE TOOL SD*, 1.5" (38mm) x 11" (28cm), ALUMINUM
381111B	TOOL KIT# 4B (WITH ALUMINUM CREVICE TOOL)